Health Watch: Understand Over-the-Counter Drug Labels

OTC medicine label contain important, easy-to-read usage and safety information.

What's On The Label

- Active Ingredient. The main substance in product; amount per unit.
- **Purpose**. Product action or category (such as antihistamine, antacid, or cough suppressant.); reason for use.
- Uses. Symptoms or diseases the product will treat or prevent.
- Warnings. When not to use the product; conditions that may require advice from a doctor before taking the product; possible interactions or side effects.
- **Directions**. Specific age categories, how to take, how much, how often, and how long.
- **Other Information**. How to store the product properly
- What to do if an overdose occurs.
- **Inactive Ingredients**. Substances such as colors or flavors.

Health Watch: Understand Over-the-Counter Drug Labels

FOR EXAMPLE ONLY:

Drug Facts

Active Ingredient (in each tablet)

Purpose

Name of Medication 2 mg) Antihistamine

Uses temporarily relieves the symptoms due to hay fever or other upper respiratory allergies:

■ runny nose sneezing eyes itchy throat

itchy, watery

Warnings

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to enlarged prostate gland

When using this product

- you may get drowsy
- -avoid alcoholic drinks, alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

OTC medicine labels contain important, easy-to-read usage and safety information.

What's On the Label

- Active Ingredient. The main substance in product; amount per unit.
- Purpose. Product action or category (such as antihistamine, antacid, or cough suppressant); reason for use.
- Uses. Symptoms or diseases the product will treat or prevent.
- Warnings. When not to use the product; conditions that may require advice from a doctor before taking the product; possible interactions or side effects.

Directions adults and children 12 take 2 tablets every 4 to 6 hours; not years and over more than 12 tablets in 24 hours children 6 years to take 1 tablet every 4 under 12 years to 6 hours; not more than 6 tablets in 24 hours children under 6 years ask a doctor Other Information store a 20-25°C (68-77°F) protect from excessive moisture

Inactive Ingredients D&C yellow no. 10,

cellulose, pre-gelatinized starch

lactose, magnesium stearate, microcrystalline

- Directions. Specific age categories, how to take, how much, how often, and how long.
- Other Information. How to store the product properly.
- What to do if an overdose occurs.
- Inactive Ingredients. Substances such as colors or flavors.

Taken from WebMD Public Information with the FDA.